



REGUMED®

BICOM® STT

Psycho-Energetic-Balance

CONTENT

1 Basic information about the test kit	4
1.1 Psycho and physical symptoms	4
2 Ampules and structure of the test kit	6
2.1 Structure of the tableaux	6
2.2 Overview of the tableaux Yin & Yang	7
2.2.1 Tableau Yin	7
2.2.2 Tableau Yang	7
3 Ampule descriptions	8
3.1 Superior ampules	8
3.1.1 Meridian & emotion ampules	8
3.1.2 Control & emotion brain ampule	8
3.1.3 Basic information on testing with the superior ampules	9
3.2 Emotion ampules	9
3.2.1 5-Elements emotion ampules	9
3.2.2 Brain emotion ampules	10
3.2.3 Basic information on testing with the emotion ampules	10
3.3 Level ampules	11
3.3.1 Physical level	11
3.3.2 Psychic level	11
3.3.3 Endocrine level	12
3.3.4 Social level	12
3.3.5 Systematic level	12
3.3.6 Control level	12
3.4 Extended diagnostic ampules	13
3.4.1 Primal pattern ampules (first blue group)	13
3.4.2 Body structure ampules (second blue group)	13
3.4.3 Identity ampules (third blue group)	14
3.4.4 Germ layer ampules (fourth blue group)	14
3.5 Support and stabilization ampules	15
3.5.1 First pink group	15
3.5.2 Second pink group	16
3.5.3 Third pink group	17
3.5.4 Fourth pink group	18
4 Basics of testing with the test kit	19
4.1 Test steps	19
4.2 Test setup	22
4.2.1 Testing individual ampules	22
4.2.2 Priority-Test	22
4.2.3 Example of a priority test	24
4.3 Interpretation of the test results	25
4.3.1 Use of further test kits	25
4.3.2 Therapy mode	25
4.3.3 Support with other energetic treatment approaches	25
5 Basics for treatment with the test kit	26
5.1 Use of the ampules	26
5.2 Structure of a treatment session	26

1 Basic information about the test kit

This test kit was developed to provide therapists with extended diagnostic possibilities and to enable causal therapy approaches in order to help patients on their way towards psycho-energetic balance.

1.1 Psycho and physical symptoms


It is well known that emotions strongly influence the human body. We see patients who receive good lab results, show no abnormalities on diagnostic imaging, yet report feeling ill. They complain of pain and show clear symptoms.

In addition we see patients who already have the most severe of diagnoses and yet are coping very well. They feel powerful and energetic. Such things can probably only be explained by emotions and the psychological state, which clearly shows how important it is to include the psyche in diagnostics and treatment.

We can see that our body communicates with itself through different levels, this includes the physical level, energetic level and psychic level. The physical body serves the organic processes and the energetic body relies upon basic cell regulation and cell communication to run without interference.

Cells form cell groups and these form organs. Cells and organs are thus related to each other, like a family. Relationships are always connected with feelings and emotions, and it is this emotional level which forms the psychic body. The psychic body influences the energetic body, in the same way that we know that the energetic body influences the physical body.

We can see this illustrated below:



The above mentioned mindset, has been incorporated into the development of the new Psycho-Energetic-Balance test kit, as has the concept of Yin and Yang and the 5-Elements/5 phases of transformation, as taken from Traditional Chinese Medicine.

Yin and Yang are two terms within Chinese philosophy. They stand for polar opposite and yet relate to dual forces or principles. They do not fight with one another, but form a balance of opposites and complement each other harmoniously. In every Yin there is a portion of Yang and vice versa. It is not possible for one to exist without the other.

If Yin and Yang are in balance, energy can flow uninhibited, which means perfection and happiness.



Yin stands for the shadow side of the mountain, the feminine, the soft, calmness and darkness.

Yang stands for the sunny side of the mountain, the sun, the day, the masculine, brightness and warmth.

At the same time, everything is in a state of change and is not subject to rigid conditions: a high phase is followed by a low phase, recovery is followed by rest, day is followed by night.

The transformation phases of the 5-Elements also reflect this energetic principle. Wood nourishes fire, ash nourishes earth, and earth nourishes metal. Metal mineralizes the water and this in turn nourishes wood, thus completing the circle. If one element is not strong enough to do this, an imbalance occurs in the body. Likewise, the Yin and Yang partner meridians act within the elements and thus influence their overriding feelings.

This again shows why it is so important to take a holistic approach to diagnosis and treatment, and why it is essential to include the psyche in this too.

With all this in mind, we have developed the new Psycho-Energetic-Balance test kit. Whilst approaches to the subject may differ, and different doctrines and therapeutic trainings may provide different points of view, the test kit provides new therapeutic possibilities for every practice.

The test kit opens up areas which were not previously possible. It makes it possible to recognize and treat causal connections in the case of psychosomatic clinical pictures in the shortest time possible.

The Psycho-Energetic-Balance test kit supports you with:

- Detecting energetic disturbances
- Extending the diagnostic possibilities
- Developing causal therapy approaches
- Treating accompanying complex causal symptoms

2 Ampules and structure of the test kit

The test kit is provided as a double tableau:

- Tableau "Yin", marked by labels with a black corner
- Tableau "Yang", marked by labels with a white corner

The test kit contains a total of 120 ampules.

2.1 Structure of the tableaux

The tableaux are divided into the following "fields":

- Superior ampules (see Chapter 3.1)
 - Meridian & emotion ampules (see chapter 3.1.1)
 - Control & emotion brain ampule (see chapter 3.1.2)
- Emotion ampules (see Chapter 3.2)
 - 5-Elements emotion ampules (see Chapter 3.2.1)
 - Brain emotion ampules (see Chapter 3.2.2)
- Level ampules (see Chapter 3.3)
- Extended diagnostic ampules (see Chapter 3.4)
- Support and stabilization ampules (see Chapter 3.5)

A detailed description of the individual ampules can be found in the next chapter.

2.2 Overview of the tableaux Yin & Yang

2.2.1 Tableau Yin

PEB 001 Yin Meridian & emotion Emotional heart	PEB 011 Emotional heart Sudden shock	PEB 021 Emotional heart Disappointed love	PEB 031 Emotional heart Hurt	PEB 041 Emotional heart Sadness	PEB 051 Emotional heart Betrayal
PEB 002 Yin Meridian & emotion Physical heart	PEB 012 Physical heart Joylessness	PEB 022 Physical heart Insensitivity	PEB 032 Physical heart Greed for money/power	PEB 042 Physical heart Self-protection	PEB 052 Emotional heart Stubbornness
PEB 003 Yin Meridian & emotion Spleen/pancreas	PEB 013 Spleen/pancreas Low self-esteem	PEB 023 Spleen/pancreas Self-punishment	PEB 033 Spleen/pancreas Worry	PEB 043 Spleen/pancreas Dependence	PEB 053 Spleen/pancreas Fear of rejection
PEB 004 Yin Meridian & emotion Lung	PEB 014 Lung Chronic grief	PEB 024 Lung Sorrow	PEB 034 Lung Longing	PEB 044 Lung Disappointment	PEB 054 Lung Isolation
PEB 005 Yin Meridian & emotion Kidney	PEB 015 Kidney Fear	PEB 025 Kidney Guilt	PEB 035 Kidney Selfishness	PEB 045 Kidney Powerlessness	PEB 055 Kidney Emotional coldness
PEB 006 Yin Meridian & emotion Liver	PEB 016 Liver Anger/annoyance	PEB 026 Liver Rage	PEB 036 Liver Discontent	PEB 046 Liver Inability to act	PEB 056 Liver Despair
PEB 007 Physical level	PEB 017 Psychic level	PEB 027 Endocrine level	PEB 037 Social level	PEB 047 Systematic level	PEB 057 Control level
PEB 008 Resolve conception primal pattern	PEB 018 Emotions Brain/spinal cord	PEB 028 Emotions Transverse muscles	PEB 038 Identity Life and I	PEB 048 Identity My goals and I	PEB 058 Ectoderm
PEB 009 Resolve prenatal primal pattern	PEB 019 Emotions Longitudinal muscles	PEB 029 Emotions Vertebral body	PEB 039 Identity My new beginning and I	PEB 049 Identity You and I	PEB 059 Mesoderm
PEB 010 Resolve birth primal pattern	PEB 020 Emotions Lymphatic system	PEB 030 Emotions Cells/organs	PEB 040 Identity The world and I	PEB 050 Identity My fear and I	PEB 060 Endoderm

2.2.2 Tableau Yang

PEB 061 Yang Meridian & emotion Small intestines	PEB 071 Small intestines Loneliness/feeling lost	PEB 081 Small intestines Neglect	PEB 091 Small intestines Withdrawal of affection	PEB 101 Small intestines Insecurity	PEB 111 Small intestines Lack of security
PEB 062 Yang Meridian & emotion Triple Warmer	PEB 072 Triple warmer Humiliation	PEB 082 Triple warmer Indecisiveness	PEB 092 Triple warmer Inhibitions	PEB 102 Triple warmer Hopelessness	PEB 112 Triple warmer Self-denial
PEB 063 Yang Meridian & emotion Stomach	PEB 073 Stomach Dislocation	PEB 083 Stomach Aversion	PEB 093 Stomach Broken spirit	PEB 103 Stomach Overload	PEB 113 Stomach Obsession
PEB 064 Yang Meridian & emotion Large intestines	PEB 074 Large intestines Dogmatic thinking	PEB 084 Large intestines Perfectionism	PEB 094 Large intestines Compulsive checking	PEB 104 Large intestines Parsimony	PEB 114 Large intestines Inability to let go
PEB 065 Yang Meridian & emotion Bladder/genitals	PEB 075 Bladder/genitals Shame	PEB 085 Bladder/genitals Unfulfilled love	PEB 095 Bladder/genitals Self-pity	PEB 105 Bladder/genitals Impatience	PEB 115 Bladder/genitals Paralyzed will
PEB 066 Yang Meridian & emotion Gall bladder	PEB 076 Gall bladder Rejection	PEB 086 Gall bladder Bitterness	PEB 096 Gall bladder False pride	PEB 106 Gall bladder Victim mentality	PEB 116 Gall bladder Unforgiveness
PEB 067 Control & emotion Brain	PEB 077 Brain Erraticness	PEB 087 Brain Thoughtlessness	PEB 097 Brain Confusion	PEB 107 Brain Callousness	PEB 117 Brain Self-doubt
PEB 068 Hormonal balance	PEB 078 Alpha waves Relaxation	PEB 088 Delta waves Deep sleep	PEB 098 Resolve old belief patterns	PEB 108 Resolve physical heritage	PEB 118 Enable self-love
PEB 069 Balance inappropriate internal and external disposition	PEB 079 Beta waves Wakefulness	PEB 089 Processing nightmares/ dreams	PEB 099 Resolve fears	PEB 109 Resolve psychic heritage	PEB 119 Light and hope
PEB 070 Metabolic blockage/ Exogenous stress	PEB 080 Gamma waves Radiation/protection	PEB 090 Emotional abdominal brain Process trauma	PEB 100 Resolve negative ancestral patterns	PEB 110 Resolve psycho- somatic blockages	PEB 120 Courage and stability

3 Ampule descriptions

3.1 Superior ampules

3.1.1 Meridian & emotion ampules

The meridian & emotion ampules can be found in the upper six rows of both tableaux.

They are shown in the colors of the 5-Elements:

- red (fire)
- yellow (earth)
- white (metal)
- blue (water)
- green (wood)

In the Yin tableau, you will find ampules that refer to the Yin meridians. In the Yang tableau, you will find ampules that refer to the Yang meridians.

PEB 061 Yang Meridian & emotion Small intestines	PEB 001 Yin Meridian & emotion Emotional heart
PEB 062 Yang Meridian & emotion Triple Warmer	PEB 002 Yin Meridian & emotion Physical heart
PEB 063 Yang Meridian & emotion Stomach	PEB 003 Yin Meridian & emotion Spleen/pancreas
PEB 064 Yang Meridian & emotion Large intestines	PEB 004 Yin Meridian & emotion Lung
PEB 065 Yang Meridian & emotion Bladder/genitals	PEB 005 Yin Meridian & emotion Kidney
PEB 066 Yang Meridian & emotion Gall bladder	PEB 006 Yin Meridian & emotion Liver


In total, there are twelve meridian ampules from the 5-Elements & emotion system.

They are divided into Yin and Yang partner meridians and are therefore distributed over the two tableaux, as already described above.

In each tableau there are six ampules, each of which can be found in the left-hand column and are arranged across six rows.

They contain the frequency patterns of the respective elements, the respective Yin and Yang partner meridians, the organs and the corresponding emotions.

3.1.2 Control & emotion brain ampule



In addition to the ampules of the 5-Elements system, there is a further superior ampule in the Yang tableau, the control & emotion brain ampule. It can be found directly under the meridian ampules.

It contains frequency patterns of the control system, the organ and corresponding emotions. Control systems influence an entire organism. The central control organ is the brain, which with its different structures carries out various tasks, supports control cycles and coordinates processes.

This overriding control mechanism not only affects the central and peripheral nervous system as well as the hormonal system, but is also decisive for all biophysical processes of the meridian systems. Depending on how the control mechanism or its processes change, disease can manifest at any level, from the spiritual to the physical level.

3.1.3 Basic information on testing with the superior ampules

Test the twelve meridian ampules and the gray control ampule in sequence as the first step.

If several superior ampules resonate during this test step, the priority test (see chapter 4.2.2) can be applied to determine the priority of the disturbed meridians (yin/yang) or disturbances at the control level.

3.2 Emotion ampules

3.2.1 5-Elements emotion ampules

The 5-Elements emotion ampules can be found directly to the right of the superior meridian ampules. They are labeled according to organ and emotion for better orientation.

There are thirty emotion ampules included in each of the two tableaux. They are included in the second to sixth columns and are color-coded and labeled with the corresponding organ reference for the meridian to which they belong.

3.2.1.1 Emotion ampules Yin

PEB 011 Emotional heart Sudden shock	PEB 021 Emotional heart Disappointed love	PEB 031 Emotional heart Hurt	PEB 041 Emotional heart Sadness	PEB 051 Emotional heart Betrayal
PEB 012 Physical heart Joylessness	PEB 022 Physical heart Insensitivity	PEB 032 Physical heart Greed for money/power	PEB 042 Physical heart Self-protection	PEB 052 Emotional heart Stubbornness
PEB 013 Spleen/pancreas Low self-esteem	PEB 023 Spleen/pancreas Self-punishment	PEB 033 Spleen/pancreas Worry	PEB 043 Spleen/pancreas Dependence	PEB 053 Spleen/pancreas Fear of rejection
PEB 014 Lung Chronic grief	PEB 024 Lung Sorrow	PEB 034 Lung Longing	PEB 044 Lung Disappointment	PEB 054 Lung Isolation
PEB 015 Kidney Fear	PEB 025 Kidney Guilt	PEB 035 Kidney Selfishness	PEB 045 Kidney Powerlessness	PEB 055 Kidney Emotional coldness
PEB 016 Liver Anger/annoyance	PEB 026 Liver Rage	PEB 036 Liver Discontent	PEB 046 Liver Inability to act	PEB 056 Liver Despair

3.2.1.2 Emotion ampules Yang

PEB 071 Small intestines Loneliness/feeling lost	PEB 081 Small intestines Neglect	PEB 091 Small intestines Withdrawal of affection	PEB 101 Small intestines Insecurity	PEB 111 Small intestines Lack of security
PEB 072 Triple warmer Humiliation	PEB 082 Triple warmer Indecisiveness	PEB 092 Triple warmer Inhibitions	PEB 102 Triple warmer Hopelessness	PEB 112 Triple warmer Self-denial
PEB 073 Stomach Dislocation	PEB 083 Stomach Aversion	PEB 093 Stomach Broken spirit	PEB 103 Stomach Overload	PEB 113 Stomach Obsession
PEB 074 Large intestines Dogmatic thinking	PEB 084 Large intestines Perfectionism	PEB 094 Large intestines Compulsive checking	PEB 104 Large intestines Parsimony	PEB 114 Large intestines Inability to let go
PEB 075 Bladder/genitals Shame	PEB 085 Bladder/genitals Unfulfilled love	PEB 095 Bladder/genitals Self-pity	PEB 105 Bladder/genitals Impatience	PEB 115 Bladder/genitals Paralyzed will
PEB 076 Gall bladder Rejection	PEB 086 Gall bladder Bitterness	PEB 096 Gall bladder False pride	PEB 106 Gall bladder Victim mentality	PEB 116 Gall bladder Unforgiveness

3.2.2 Brain emotion ampules

Directly to the right of the control & emotion brain ampule are five gray brain emotion ampules, which are related to control.

PEB 077 Brain Erraticness	PEB 087 Brain Thoughtlessness	PEB 097 Brain Confusion	PEB 107 Brain Callousness	PEB 117 Brain Self-doubt
---------------------------------	-------------------------------------	-------------------------------	---------------------------------	--------------------------------

3.2.3 Basic information on testing with the emotion ampules

Supportive frequency patterns

In spite of negative emotion labelings, the emotion ampules all contain supportive frequency patterns and serve to stabilize the emotional world and make a reversal of the emotion possible.

Testing according to priorities

Only the emotion ampules, whose superior meridian ampule was already determined as the priority, are tested (see Chapter 3.1.3.). The superior meridian ampule is placed in the input cup, and the emotion ampules are tested as described in Chapter 4.

Possibilities if NO superior meridian ampule tests:

If no superior meridian ampule tests, all 65 emotion ampules can be tested individual by connecting the grasping applicator to the BICOM as the input.

The interpretation result here would be: There is **no disturbance** on the meridian level, but on the emotion level!

3.3 Level ampules

In the Yin tableau (black corners) you will find a horizontal row of pink ampules below the 5-Elements ampules (7th row in the Yin tableau).

The testing of the level ampules should give further information about which level of the body the changed processes are having their effect.

PEB 007 Physical level	PEB 017 Psychic level	PEB 027 Endocrine level	PEB 037 Social level	PEB 047 Systematic level	PEB 057 Control level
---------------------------	--------------------------	----------------------------	-------------------------	-----------------------------	--------------------------

With the help of this test procedure you can find out on which level there are disturbances and which ampule to use in order to support the respective level.

You will also receive information about which further STT or CTT test kits you can subsequently test.

3.3.1 Physical level

Possible causes:

- Organic disorders
- Bacterial, viral or parasitic contamination
- Fungal contamination
- Chemical stress
- Allergies
- Orthopedic disorders
- Dental and jaw disorders
- Neurological disorders

You will find further test possibilities e.g. in the test kits

- Hormones
- Orthopedics
- Neurology
- Degenerated cells
- ...

3.3.2 Psychic level

Possible causes:

- Emotional disorders
- Mental disorders
- Traumas
- Sleep disorders
- Shock/stress

You will find further test possibilities e.g. in the test kits

- Neurology
- Bach flowers
- 5 functional circuits (5E)
- Hormones
- Endocannabinoid system

3.3.3 Endocrine level

Possible causes:

- Hormone disorders
- Mineral deficiencies/imbbalances
- Metabolic disorders
- Stress

You will find further test possibilities e.g. in the test kits

- Hormones
- Neurology
- 5 functional circuits (5E)
- Control & metabolism
- Endocannabinoid system

3.3.4 Social level

Possible causes:

- Own identity unclear
- Stressful social environment, relationships
- Education

You will find further test possibilities e.g. in the test kits

- Neurology
- Bach flowers
- 5 functional circuits (5E)

3.3.5 Systematic level

Possible causes:

- Blocking ancestral patterns
- Issues in the primordial conception
- Problems in pregnancy and during birth

You will find further test possibilities e.g. in the test kits

- Bach flowers

3.3.6 Control level

Possible causes:

- Hormonal disorders
- Neurological disorders
- Circulatory disorders
- Metabolic disorders
- Pathogen exposure
- Traumas

You will find further test possibilities e.g. in the test kits

- Control & metabolism
- Endocannabinoid system
- 5 functional circuits (5E)
- Hormones
- Neurology
- Viruses / fungi (and extensions)

3.4 Extended diagnostic ampules

In the Yin tableau, below the pink level ampules, there are 18 ampules divided into four blue groups. They have been shaded from light to dark for better identification.

They serve for the extended diagnosis of the causal stress beyond the 5-Elements system.

PEB 008 Resolve conception primal pattern	PEB 018 Emotions Brain/spinal cord	PEB 028 Emotions Transverse muscles	PEB 038 Identity Life and I	PEB 048 Identity My goals and I	PEB 058 Ectoderm
PEB 009 Resolve prenatal primal pattern	PEB 019 Emotions Longitudinal muscles	PEB 029 Emotions Vertebral body	PEB 039 Identity My new beginning and I	PEB 049 Identity You and I	PEB 059 Mesoderm
PEB 010 Resolve birth primal pattern	PEB 020 Emotions Lymphatic system	PEB 030 Emotions Cells/organs	PEB 040 Identity The world and I	PEB 050 Identity My fear and I	PEB 060 Endoderm

3.4.1 Primal pattern ampules (first blue group)

This group contains the following three ampules:

- Resolve conception primal pattern
- Resolve prenatal primal pattern
- Resolve birth primal pattern

These ampules can assist in dissolving negative imprints related to the circumstances at the time of conception, during the course of pregnancy or childbirth. Typical symptoms can be feeling unloved or rejected, suffering from unfounded fears and/or the consequences of labor-inducing agents (e.g. ADHD syndrome).

3.4.2 Body structure ampules (second blue group)

This group contains the following six ampules:

- Emotions: Brain/spinal cord
- Emotions: Longitudinal muscles
- Emotions: Lymphatic system
- Emotions: Transverse muscles
- Emotions: Vertebral body
- Emotions: Cells/organs

These ampules support with positively influencing very specific body structures, beyond the 5-Elements system.

Typical symptoms may include:

- In case of tension in the brain/spinal cord: Breathing problems, headaches, migraines or severe irritability, glaucoma, hypertension.
- In case of problems of the longitudinal muscles: sleep disorders, digestive problems, hypertension/vascular disease.
- In case of problems of the lymphatic system: edema, immune deficiency, connective tissue weakness, cysts, tissue hardening
- In case of problems of the transverse muscles: dizziness, incontinence, posture problems
- In case of problems of the vertebral body: all problems of the musculoskeletal system usually originate from the primal emotion of fear. The emotion of the vertebral body originates from the feeling of claustrophobia. Thus, herniated discs, arthritis, knee, hip and back problems in general are common.
- The ampule "Cells/organs" is an exception: as all body structures and organs are composed from cell formations, it can result in more unspecific symptoms going beyond the scope of the locomotor system.

3.4.3 Identity ampules (third blue group)

This group contains the following six ampules:

- Identity: Life and I
- Identity: My new beginning and I
- Identity: The world and I
- Identity: My goals and I
- Identity: You and I
- Identity: My fear and I

These ampules provide information about the social/psychic level and one's relationship to oneself, the environment, relationships, coming to terms with the past and the ability to make a fresh start. They assist in defining personal goals, overcoming fears, improving relationships and enable access to the higher self.

3.4.4 Germ layer ampules (fourth blue group)

This group contains the following three ampules:

- Ectoderm
- Mesoderm
- Endoderm

These ampules are directly related to the primal pattern ampules of the first blue group. The three germ layers are the origins of all body structures. They are thus connected to all structures and have a great influence on development and the systems of the body.

Ectoderm:

- The outer germ layer, from which two structures form during embryogenesis.
- First, the centrally and cranially located neuroectoderm forms in the ectoderm, which in turn forms the neural plate.
- The central nervous system develops from the neural plate.

Mesoderm:

- The middle germ layer.
- The cell layer from which the majority of the body mass is formed.

Endoderm:

- The inner germ layer of the embryoblast.
- The endoderm forms, among other things, the predominant part of the gastrointestinal tract, with the exception of the oral cavity and the anus.
- It also forms the liver, pancreas, respiratory tract, thyroid gland, urinary bladder and urethra.

These ampules promote and optimize cell communication and the relationship of all body cells to each other.

3.5 Support and stabilization ampules

In the Yang tableau (white corners), below the gray control ampules, there are 18 supporting pink ampules divided into four groups.

They have been shaded from light to dark for better identification.

PEB 068 Hormonal balance	PEB 078 Alpha waves Relaxation	PEB 088 Delta waves Deep sleep	PEB 098 Resolve old belief patterns	PEB 108 Resolve physical heritage	PEB 118 Enable self-love
PEB 069 Balance inappropriate internal and external disposition	PEB 079 Beta waves Wakefulness	PEB 089 Processing nightmares/ dreams	PEB 099 Resolve fears	PEB 109 Resolve psychic heritage	PEB 119 Light and hope
PEB 070 Metabolic blockage/ Exogenous stress	PEB 080 Gamma waves Radiation/protection	PEB 090 Emotional abdominal brain Process trauma	PEB 100 Resolve negative ancestral patterns	PEB 110 Resolve psycho- somatic blockages	PEB 120 Courage and stability

These ampules are intended to, among other things:

- Support sleep and improve sleep patterns
- Enable physical and psychological regeneration
- Positively influence dreams and dream processing
- Dissolve therapy blockages and generally support the therapy
- Connect the soul and the intuitive body with the physical body

3.5.1 First pink group

This group contains the following three ampules:

- Hormonal balance
- Balance inappropriate internal and external disposition
- Metabolic blockage/exogenous stress

These ampules have a positive influence on internal and external disturbances. Such disturbances can be caused by taking contraceptives and other hormonally active drugs, but also sleeping pills or painkillers, psychotropic drugs and intoxicants.

These disturbances can prevent desired development and also lead to disturbances within the control and metabolism systems. For example where puberty or the menopause are not yet complete, inner attitudes towards these processes can slow down further development.

Here it is particularly helpful to use the "Control and Metabolism" test kit for extended diagnostics. It includes therapeutically valuable indications of metabolic blockages.

Hormonal balance:

Typical symptoms may include: disharmonious swelling, heat waves, heat rush to the head, autonomic nervous system disorders such as dizziness, sleep disturbances, weight gain and edema.

Balance inappropriate internal and external position:

Typical symptoms may include: fear or many fears, panic attacks, addiction to criticism, egoism, jealousy, back pain, unsuitable reactions e.g. out of the feeling of anger. Further development is not possible.

Metabolic blockage / exogenous stress:

Typical symptoms may include: obesity, addiction, lack of concentration, stress symptoms, conspicuous behavior, but also being severely underweight.

3.5.2 Second pink group**This group contains the following six ampules:**

- Alpha waves: Relaxation
- Beta waves: Wakefulness
- Gamma waves: Radiation / protection
- Delta waves: Deep sleep
- Processing nightmares / dreams
- Emotional abdominal brain / processing trauma

These ampules contain positive frequencies, in the lowest frequency range, to support sleep and relaxation as well as wakefulness. They enable physical regeneration, hormonal regeneration, processing of experiences as well as learning to succeed in the best possible way.

In addition, these ampules can be used to help overcome causal trauma. Reason and intuition are put in connection with one another, so that the right path can be found.

Alpha-Waves:

- This ampule positively influences the state of relaxation (8 to 13 Hz).

Beta-Waves:

- This ampule optimizes the state of wakefulness and can thus promote concentration.

Gamma-Waves:

- This ampule optimizes the frequency range of gamma waves and can support both learning processes and meditation states.

Delta-Waves:

- This ampule optimizes the frequency range of deep sleep (0 to 3 Hz).

Processing nightmares / dreams:

- This ampule optimizes the frequency range of theta waves (3 to 7 Hz) and thus the dream phases of REM sleep.
- It promotes daytime processing and helps to find solutions to problems in dreams.

Emotional abdominal brain / processing trauma:

- This ampule contains frequency patterns that support the processing of trauma and promote letting go.
- It also has a good influence on the maintenance of the organs and the autonomic nervous system and thus on states of permanent stress.

3.5.3 Third pink group

This group contains the following six ampules:

- Resolve old belief patterns
- Resolve fears
- Resolve negative ancestral patterns
- Resolve physical heritage
- Resolve psychic heritage
- Resolve psychosomatic blockages

These ampules are used to support with systemic or psychological therapy approaches. They are helpful for resolving therapy blockages in the various areas and to support the patient in being able to implement therapy impulses from the systemic area.

Resolve old belief patterns:

- This ampule supports patients in being ready to look at things in new ways and to overcome misguided beliefs.

Resolve fear:

- This ampule helps patients to resolve fears and overcome them.
- These can be fears as well as phobias.
- It promotes emotional stability, provides serenity, alleviates obsessions and transforms the primal feeling of fear into confidence and joy.

Resolve negative ancestral patterns:

- This ampule helps to resolve old family patterns.
- It mitigates the negativity of family heritage, dissolves miasmas and thus promotes the path towards self-reliance, personal individuality and self-love.

Dissolve physical heritage:

- Within the inherited ancestral patterns, this ampule refers to the physical part, i.e. the physical stress patterns of the genome.
- Often there are disease patterns in the anamnesis that run like a red thread through the family history.
- This ampule is intended to optimize the physical constitution.

Resolve psychic heritage:

- This ampule refers to the psychic part of the inherited ancestral patterns.
- Inherited, i.e. not self-experienced fears, beliefs or feelings of guilt can have a great influence on the psyche of the descendants.
- Often the cause of unclear depression, neuroses or intermittent melancholy can be found here and can thus be positively supported

Resolve psychosomatic blockage:

- If no explanation for the physical symptoms can be found via laboratory report or diagnostic imaging, the cause often lies in the emotional area, e.g. through an experienced trauma.
- With the help of this ampule, in cooperation with the other ampules from this group, a psychosomatic blockage can be favorably influenced and overcome.

3.5.4 Fourth pink group

This group contains the following three ampules:

- Enable self-love
- Light and hope
- Courage and stability

These ampules are designed to transform the most common emotional reasons that stand in the way of further development. They can help in overcoming energetic blockages and promote self-love, light, hope, courage and stamina in order to give oneself another chance.

Enable self-love:

- Some patients are convinced that they themselves are not worth of being helped at all.
- This ampule supports all other therapy approaches in helping the patient to discover self-love and to accept it.

Light and hope:

- Some patients have already made many attempts to tackle their problems.
- All previous efforts may have been in vain or may not have led to success and the patient has fallen into a state of hopelessness.
- This ampule supports the patient to try again and to take this new path with a sense of hope.

Courage and stability:

- Fears or a lack of courage or stamina are often the reason why new therapies are not persevered with.
- This ampule is intended to support the patient with staying on the ball, overcoming small hurdles and thus finding their way with conviction.

4 Basics of testing with the test kit

All ampules of this test kit are tested and used with therapy mode "A".

This is possible, for example, with program number 192.0 "Test program/CTT with frequency sweep/A".

4.1 Test steps

The test steps are designed to be followed as below:

1st test step:

Determination of the superior meridian and control & emotion brain ampules

(see Ch. 3.1.1 and Ch.3.1.2).

- The grasping applicator is connected to the BICOM via a black cable. Test program 192.0 A is activated and the meridian ampules and the control & emotion brain ampule are checked for resonance in sequence.
- If several ampules test here, you can switch to the second test step with several ampules or use the priority test described below to narrow down the test result to the priority.

2nd test step:

Determination of the relevant emotion ampules (related to the superior ampules from the 1st test step or to the superior ampule tested as the priority (see Ch. 3.2)).

- The superior ampule(s) from the first test step are placed in the input cup. The emotion ampules then are checked for resonance in sequence.

3rd test step:

Determination of the relevant emotion ampules (without superior meridian ampules (see Ch. 3.2.3)).

This test step is only performed if NO superior ampule has been determined.

- The grasping applicator is connected to the BICOM via a black cable and the 65 emotion ampules are tested for resonance in sequence.
- If several ampules are determined, you can switch to the fourth test step with several ampules or also perform the priority test afterwards to narrow down the emotional topic accordingly.

4th test step:

Determination of the relevant level ampules (see Ch. 3.3)

- The grasping applicator is connected to the BICOM via a black cable.
- The level ampules are tested for resonance one after another.
- If there is resonance with one or more level ampules, you are informed about the other test kits in which you can continue your search.

5th test step:

Determination of the extended diagnostic ampules (see Ch. 3.4)

- The grasping applicator remains connected to the BICOM as the input.
- The four groups of light blue ampules are now checked for resonance one after another.
- Depending on the test result, an extended diagnosis can be determined and corresponding therapy approaches can be found.

6th test step:

Determination of support and stabilization ampules (see Ch. 3.5)

- In this test step, all supporting ampules are determined.
- The grasping applicator remains connected to the BICOM.
- The four groups of pink ampules are checked for resonance in sequence.
- Not only are supporting ampules determined, but further therapy approaches can be found, such as an improvement of sleep, metabolic improvement or systemic therapy.

With this sequence you can narrow down the subject step by step and get an overall picture of the psycho-energetic imbalances.

Test step 1 Yang

Test step 2 Yang

PEB 001 Yin Meridian & emotion Emotional heart	PEB 011 Emotional heart Sudden shock	PEB 021 Emotional heart Disappointed love	PEB 031 Emotional heart Hurt	PEB 041 Emotional heart Sadness	PEB 051 Emotional heart Betrayal
PEB 002 Yin Meridian & emotion Physical heart	PEB 012 Physical heart Joylessness	PEB 022 Physical heart Insensitivity	PEB 032 Physical heart Greed for money/power	PEB 042 Physical heart Self-protection	PEB 052 Emotional heart Stubbornness
PEB 003 Yin Meridian & emotion Spleen/pancreas	PEB 013 Spleen/pancreas Low self-esteem	PEB 023 Spleen/pancreas Self-punishment	PEB 033 Spleen/pancreas Worry	PEB 043 Spleen/pancreas Dependence	PEB 053 Spleen/pancreas Fear of rejection
PEB 004 Yin Meridian & emotion Lung	PEB 014 Lung Chronic grief	PEB 024 Lung Sorrow	PEB 034 Lung Longing	PEB 044 Lung Disappointment	PEB 054 Lung Isolation
PEB 005 Yin Meridian & emotion Kidney	PEB 015 Kidney Fear	PEB 025 Kidney Guilt	PEB 035 Kidney Selfishness	PEB 045 Kidney Powerlessness	PEB 055 Kidney Emotional coldness
PEB 006 Yin Meridian & emotion Liver	PEB 016 Liver Anger/annoyance	PEB 026 Liver Rage	PEB 036 Liver Discontent	PEB 046 Liver Inability to act	PEB 056 Liver Despair
PEB 007 Physical level	PEB 017 Psychic level	PEB 027 Endocrine level	PEB 037 Social level	PEB 047 Systematic level	PEB 057 Control level
PEB 008 Resolve conception primal pattern	PEB 018 Emotions Brain/spinal cord	PEB 028 Emotions Transverse muscles	PEB 038 Identity Life and I	PEB 048 Identity My goals and I	PEB 058 Ectoderm
PEB 009 Resolve prenatal primal pattern	PEB 019 Emotions Longitudinal muscles	PEB 029 Emotions Vertebral body	PEB 039 Identity My new beginning and I	PEB 049 Identity You and I	PEB 059 Mesoderm
PEB 010 Resolve birth primal pattern	PEB 020 Emotions Lymphatic system	PEB 030 Emotions Cells/organs	PEB 040 Identity The world and I	PEB 050 Identity My fear and I	PEB 060 Endoderm

Test
step 6
←

Test Step 3 includes Test Step 1 and 2 if no priority can or is to be determined. All ampules are tested equally with 10-fold amplification (192.0 A).

Test step 1 Yin

Test step 2 Yin

PEB 061 Yang Meridian & emotion Small intestines	PEB 071 Small intestines Loneliness/feeling lost	PEB 081 Small intestines Neglect	PEB 091 Small intestines Withdrawal of affection	PEB 101 Small intestines Insecurity	PEB 111 Small intestines Lack of security
PEB 062 Yang Meridian & emotion Triple Warmer	PEB 072 Triple warmer Humiliation	PEB 082 Triple warmer Indecisiveness	PEB 092 Triple warmer Inhibitions	PEB 102 Triple warmer Hopelessness	PEB 112 Triple warmer Self-denial
PEB 063 Yang Meridian & emotion Stomach	PEB 073 Stomach Dislocation	PEB 083 Stomach Aversion	PEB 093 Stomach Broken spirit	PEB 103 Stomach Overload	PEB 113 Stomach Obsession
PEB 064 Yang Meridian & emotion Large intestines	PEB 074 Large intestines Dogmatic thinking	PEB 084 Large intestines Perfectionism	PEB 094 Large intestines Compulsive checking	PEB 104 Large intestines Parsimony	PEB 114 Large intestines Inability to let go
PEB 065 Yang Meridian & emotion Bladder/genitals	PEB 075 Bladder/genitals Shame	PEB 085 Bladder/genitals Unfulfilled love	PEB 095 Bladder/genitals Self-pity	PEB 105 Bladder/genitals Impatience	PEB 115 Bladder/genitals Paralyzed will
PEB 066 Yang Meridian & emotion Gall bladder	PEB 076 Gall bladder Rejection	PEB 086 Gall bladder Bitterness	PEB 096 Gall bladder False pride	PEB 106 Gall bladder Victim mentality	PEB 116 Gall bladder Unforgiveness
PEB 067 Control & emotion Brain	PEB 077 Brain Erraticness	PEB 087 Brain Thoughtlessness	PEB 097 Brain Confusion	PEB 107 Brain Callousness	PEB 117 Brain Self-doubt
PEB 068 Hormonal balance	PEB 078 Alpha waves Relaxation	PEB 088 Delta waves Deep sleep	PEB 098 Resolve old belief patterns	PEB 108 Resolve physical heritage	PEB 118 Enable self-love
PEB 069 Balance inappropriate internal and external disposition	PEB 079 Beta waves Wakefulness	PEB 089 Processing nightmares/ dreams	PEB 099 Resolve fears	PEB 109 Resolve psychic heritage	PEB 119 Light and hope
PEB 070 Metabolic blockage/ Exogenous stress	PEB 080 Gamma waves Radiation/protection	PEB 090 Emotional abdominal brain Process trauma	PEB 100 Resolve negative ancestral patterns	PEB 110 Resolve psycho- somatic blockages	PEB 120 Courage and stability

Test
step 4
←

Test
step 5
←

Test step 3 includes test steps 1 and 2 if no priority can or is to be determined. All ampules are tested equally with 10-fold amplification (192.0 A).

4.2 Test setup

4.2.1 Testing individual ampules

You can apply this test setup to the testing of all ampules.

Input:

- Place the ampules one after another in the input cup **or**
- Test the ampules one after another using the grasping applicator (connected via a black cable to the BICOM).

Output:

- Patient has the modulation mat in the back **or**
- Patient has the plate applicator of the tensor test aid standing vertically in front of them (connected via a red cable to the BICOM).

Program selection:

- Select and start program 192.0 on the BICOM device (via menu item 2).

Test result with the tensor:

- If the patient resonates with the ampule tested, the tensor shows a horizontal, i.e. connecting, movement. The patient requires stabilization with the tested ampule.
- If the patient does not resonate with the ampule tested, the tensor shows a vertical, i.e. separating, movement. They do not require stabilization with the tested ampule.

Test result by means of kinesiology:

- If the patient resonates with the ampule tested, the muscle tests strongly. The patient requires stabilization with the tested ampule.
- If the patient does not resonate with the ampule tested, the muscle tests weak. They do not require stabilization with the tested ampule.

4.2.2 Priority-Test

The so-called priority test is recommended in some test steps to set the priorities and thus to align the treatment more easily. This testing method can be used to set priorities within the test kit.

Input:

- Input cup: one of the two ampules to be tested for priority

Output:

- Patient has the modulation mat in the back **or**
- Patient has the plate applicator standing vertically in front of them (connected via a red cable to the BICOM)

Tensor:

- The tensor is connected to the grasping applicator via a cable.
- The grasping applicator is placed over the second ampule.
- The connection "tensor - cable - grasping applicator" corresponds to a 1-fold amplification, while the ampule in the input cup (with program 192.0 started) experiences a 10-fold amplification.
- The joint resonance of the two ampules with a 1-fold and a 10-fold amplification is tested.

Kinesiology:

- In this test setup, the test is performed using channel 2
- Set the amplification of channel 2 to 1 (amplification reduction)
- Place the second ampule in the yellow cup
- The joint resonance of the two ampules with a 1-fold and a 10-fold amplification is tested.

Program selection:

- Select and start program 192.0 on the BICOM device (via menu item 2).

Test result with the tensor:

Horizontal tensor movement = resonance:

- The ampule in the input cup has priority (10-fold amplification) over the ampule located under the grasping applicator (1-fold amplification).
- The ampule in the input cup is thus the "weakest link" in the chain and has treatment priority.

Vertical tensor movement = dissonance:

- The ampule in the input cup has no priority
- In this case, exchange the ampules. Now place the ampule which was previously under the grasping applicator in the input cup. Remove the previous ampule from the input cup and put it under the grasping applicator. This test is also called a "cross check".

Test result with kinesiology:

Strong muscle:

- The ampule in the input cup has priority (10-fold amplification) over the ampule located under the grasping applicator (1-fold amplification).
- The ampule in the input cup is thus the "weakest link" in the chain and has treatment priority.

Weak muscle:

- The ampule in the input cup has no priority
In this case, exchange the ampules. Now place the ampule which was previously under the grasping applicator in the input cup. Remove the previous ampule from the input cup and put it under the grasping applicator. This test is also called a "cross check".

4.2.3 Example of a priority test:

You have determined two ampules from the superior meridian ampules in the first test step and would now like to check which of the two superior meridian ampules has the higher treatment priority.

Superior meridian ampules from the 1st test step e.g.:

- Yin meridian & emotion: Emotional heart, Element Fire
- Yin meridian & emotion: Kidney, Element Water

Test procedure (in short form)

- The ampule “Yin meridian & emotion: Emotional heart” is placed in the input cup.
- The ampule “Yin meridian & emotion: Kidney” is:
 - For the tensor test: placed under the grasping applicator which is connected to the tensor.
 - For the kinesiology test: placed in channel 2 and tested with a 1-fold amplification.

Test result with tensor:

Horizontal tensor movement = resonance:

- The ampule “Yin meridian & emotion: Emotional heart” located in the input cup has priority over the ampule “Yin meridian & emotion: Kidney” located under the grasping applicator.

Vertical movement = dissonance:

- The ampule “Yin meridian & emotion: Emotional heart”, located in the input cup has no priority.
- In this case, exchange the ampules and do the "Cross Check".

Test result with kinesiology:

Strong muscle:

- The ampule “Yin meridian & emotion: Emotional heart” located in the input cup has priority over the ampule “Yin meridian & emotion: Kidney” located in channel 2 (1-fold amplification).

Weak muscle:

- The ampule “Yin meridian & emotion: Emotional heart”, located in the input cup has no priority.
- In this case, exchange the ampules and do the "Cross Check".

4.3 Interpretation of the test results

After completion of the testing, an evaluation of the determined ampules should take place. Depending on which ampules have tested, you will be able to determine therapy approaches from the receive information.

4.3.1 Use of further test kits

Following testing with the Psycho-Energetic-Balance test kit, you can also involve all other STT or CTT test kits, which come into question due to the determined test results, and use them for further diagnostics (see chapter 3.3).

4.3.2 Therapy mode

Please make absolutely sure that the therapy modes A or Ai are not mixed up for the treatment!

Any other ampules that are tested and treated with therapy mode A can also be combined with the ampules from the Psycho-Energetic-Balance test kit in the same therapy session via channel 1.

4.3.3 Support with other energetic treatment approaches

If you perform energetic or systemic treatments in your practice, you can effectively support them by treating with the BICOM bioresonance method.

5 Basics for treatment with the test kit

The following options are available for subsequent treatment:

- Program 198.0 (normal frequencies)
- Program sequence 10327 (low and normal frequencies)

5.1 Use of the ampules

The ampules can be used individually or in combination.

All determined ampules can be included in a treatment session together with therapy mode A, provided that they resonate in combination.

In this case, we recommend that you do not add more than eight ampules to the input cup of channel 1.

5.2 Structure of a treatment session

Important: Please be sure to follow the recommended protocol within the treatment session:

1. Conductance value measurement and run appropriate basic program.
2. Possible preparatory treatment of therapy blockages such as:
 - Support elimination organs
 - Scar interference fields and/or
 - Geopathic stress
3. Suitable, indication-related individual programs or program sequences
4. Stabilization of the psychosomatic complaints with the help of the determined ampules from the Psycho-Energetic-Balance test kit. The following programs are available for this purpose:
 - Program 198.0 (normal frequencies)
 - Program sequence 10327 (low deep and normal frequencies)

You can also supplement the treatment by selecting a suitable substance complex or by suitably filling the yellow cup. Switching on DMI is also another option (please pay attention to contraindications).

With the Psycho-Energetic-Balance test kit you have a valuable tool and can thus successfully support causally complex psychosomatic problems.

REGUMED

Regulative Medizintechnik GmbH
Robert-Koch-Str. 1 a
82152 Planegg
Germany